L Number	Hits	Search Text	DB	Time stamp
-	254	700/193.ccls.	USPAT; US-PGPUB	2003/05/14 13:22
-	10	700/193.ccls. and turret	USPAT; US-PGPUB	2003/05/14 13:28
-	162	700/$.ccls. and turret and cutting	USPAT; US-PGPUB	2003/05/14 13:28
-	152	(700/$.ccls. and turret and cutting) not (700/193.ccls. and turret)	USPAT; US-PGPUB	2003/05/14 13:28
-	67	((700/$.ccls. and turret and cutting) not (700/193.ccls. and turret)) and (x-axis or x adj axis)	USPAT; US-PGPUB	2003/05/14 14:47
-	0	(((700/$.ccls. and turret and cutting) not (700/193.ccls. and turret)) and (x-axis or x adj axis)) and turning adj angle	USPAT; US-PGPUB	2003/05/14 13:29
-	39	(((700/$.ccls. and turret and cutting) not (700/193.ccls. and turret)) and (x-axis or x adj axis)) and angle	USPAT; US-PGPUB	2003/05/14 13:29
-	20	((((700/$.ccls. and turret and cutting) not (700/193.ccls. and turret)) and (x-axis or x adj axis)) and angle) and (y-axis or y adj axis)	USPAT; US-PGPUB	2003/05/14 13:30
-	10	(((((700/$.ccls. and turret and cutting) not (700/193.ccls. and turret)) and (x-axis or x adj axis)) and angle) and (y-axis or y adj axis)) and offset	USPAT; US-PGPUB	2003/05/14 13:39
-	5	(x-axis or x adj axis) adj offset and cutting and turret	USPAT; US-PGPUB	2003/05/14 14:48
-	224	700/175.ccls.	USPAT; US-PGPUB	2003/05/14 15:27
-	305	700/175-176.ccls.	USPAT; US-PGPUB	2003/05/14 15:27
-	279	700/175-176.ccls. and @ad<=20002112	USPAT; US-PGPUB	2003/05/14 17:25
-	26	(700/175-176.ccls. and @ad<=20002112) and turret	USPAT; US-PGPUB	2003/05/14 15:37
-	155	700/176,194.ccls.	USPAT; US-PGPUB	2003/05/14 15:37
-	16	700/176,194.ccls. and turret	USPAT; US-PGPUB	2003/05/14 15:40
-	19	turret and turning adj angle	USPAT; US-PGPUB	2003/05/14 16:11
-	32	hitachi.as. and turret	USPAT; US-PGPUB	2003/05/14 16:21
-	1	"5358364".PN.	USPAT; US-PGPUB	2003/05/14 16:15
-	1	"4532716".PN.	USPAT; US-PGPUB	2003/05/14 16:16
-	1	"3614909".PN.	USPAT; US-PGPUB	2003/05/14 16:16
-	4	mori.as. and turret	USPAT; US-PGPUB	2003/05/14 16:25
-	94	wo and "10785"	USPAT; US-PGPUB; DERWENT	2003/05/14 16:25
-	3	wo and "9910785"	USPAT; US-PGPUB; DERWENT	2003/05/14 17:13
-	0	74/813.ccls.	USPAT; US-PGPUB; DERWENT	2003/05/14 17:14
-	0	74/863.ccls.	USPAT; US-PGPUB; DERWENT	2003/05/14 17:14
-	125	74/816.ccls.	USPAT; US-PGPUB; DERWENT	2003/05/14 17:14
-	5	74/816.ccls. and turret	USPAT; US-PGPUB; DERWENT	2003/05/14 17:15

–	187	33/642.ccls.	USPAT; US-PGPUB; DERWENT	2003/05/14 17:15
–	6	33/642.ccls. and turret	USPAT; US-PGPUB; DERWENT	2003/05/14 17:17
–	7	offset and edge and turning adj angle and tool and index$3 and (shaft or lathe) and (axis or axes)	USPAT; US-PGPUB; DERWENT	2003/05/14 17:19
–	9	offset and edge and turning adj angle and tool and shaft and cutting	USPAT; US-PGPUB; DERWENT	2003/05/14 17:20
–	7	(offset and edge and turning adj angle and tool and shaft and cutting) not (offset and edge and turning adj angle and tool and index$3 and (shaft or lathe) and (axis or axes))	USPAT; US-PGPUB; DERWENT	2003/05/14 17:20
–	12	700/$.ccls. and (x-axis or x adj axis) same offset and shaft and edge and cutting and coordinates	USPAT; US-PGPUB; DERWENT	2003/05/14 17:23
–	474	turret and offset and coordinates	USPAT; US-PGPUB; DERWENT	2003/05/14 17:24
–	160	(turret and offset and coordinates) and (axes or axis) and cut$5 and tool	USPAT; US-PGPUB; DERWENT	2003/05/14 17:25
–	109	((turret and offset and coordinates) and (axes or axis) and cut$5 and tool) and display	USPAT; US-PGPUB; DERWENT	2003/05/14 17:25
–	94	(((turret and offset and coordinates) and (axes or axis) and cut$5 and tool) and display) and @ad<=20002112	USPAT; US-PGPUB	2003/05/14 17:26
–	41	((((turret and offset and coordinates) and (axes or axis) and cut$5 and tool) and display) and @ad<=20002112) and shaft and angle	USPAT; US-PGPUB	2003/05/14 17:29
–	3	(x-axis or x adj axis) adj offset and turret and 700/$.ccls.	USPAT; US-PGPUB	2003/05/14 17:32
–	4	(x-axis or x adj axis) adj offset and turret and coordinates and display	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 17:34
–	269	(axis or axes) and offset and turret and coordinates and display	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 17:35
–	37	(((axis or axes) and offset and turret and coordinates and display) and wear) and cut$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 17:35
–	40	((axis or axes) and offset and turret and coordinates and display) and wear	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 17:43
–	1	"4612833".PN.	USPAT; US-PGPUB	2003/05/14 17:38
–	1	"4608645".PN.	USPAT; US-PGPUB	2003/05/14 17:38
–	1	"4574666".PN.	USPAT; US-PGPUB	2003/05/14 17:38
–	2	lathe and offset and (axis or axes) and coordinate$3 and turning adj angle	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 17:45
–	8	revolution adj indexing and turret	USPAT; US-PGPUB	2003/05/15 09:02
–	6	(US-5396821-$ or US-5438521-$ or US-4620281-$ or US-6082016-$ or US-4776247-$).did. or (US-20020123823-$).did.	USPAT; US-PGPUB	2003/05/15 11:55

-	1	(((US-5396821-$ or US-5438521-$ or US-4620281-$ or US-6082016-$ or US-4776247-$).did. or (US-20020123823-$).did.) and turret) and sin and cos	USPAT; US-PGPUB	2003/05/15 11:55
-	6	((US-5396821-$ or US-5438521-$ or US-4620281-$ or US-6082016-$ or US-4776247-$).did. or (US-20020123823-$).did.) and turret	USPAT; US-PGPUB	2003/05/15 11:58